



Dușo<sup>®</sup>

Shower Column

HORNE



NBS Source  
PARTNER

Dușo / dufo / n.



A narrated animation provides an explicit and comprehensive product tour of the Duŝo. Visit [www.horne.co.uk/news-events/blog/sports-shower-makeover](http://www.horne.co.uk/news-events/blog/sports-shower-makeover) or scan the QR code.



## Duŝo / duŝo / n.

Duŝo (pronounced Doosho) means 'shower' in the constructed international language of Esperanto. The Horne Duŝo is a slender and visually striking shower column for group showering applications in school and team sports facilities, leisure clubs and swimming pools.

Apart from its aesthetic appeal and adaptable looks, the Duŝo stands tall in terms of its practical functionality, durability and eco-credentials.

View the narrated animation at the web address above to explore further its features and benefits.

Dušo®

team players




## Features



- Slender and elegant design
- Robust design for maximised lifespan
- 4 colourway options: aquamarine, black, grey and yellow – to match the colour palette of the interior design or convey specific information\*
- Fixed, chromium plated vandal resistant shower head with integral flow regulator (8 L/min)
- Hydraulically actuated push paddle timed flow control
- Integral in-line fine mesh strainer protects the timed flow control mechanism
- Water and energy efficient design
- **60+** seconds flow duration (with option to reduce to 30 seconds, if desired)
- Bi-directional spray plate
- Easy clean column and silicon rubber spray nozzle array
- Fully accessible for routine maintenance and cleaning
- Full assembly performance and pressure tested in production
- Can be recycled (where facilities exist)
- Recyclable packaging: 100% cardboard


\* please view the animation via the links (left hand page) for further information






Max weight 2.25 Kg

**Spray Locus Chart**



All readings are approximate.  
Tests completed at 4 bar dynamic pressure,  
wetted area now approximately 700mm wide.

**TECHNICAL DATA**



**Materials of construction**


The Dušo is made of recyclable materials:  
Panel - anodised extruded aluminium.  
Moulded parts from Acetal and ABS plastic (recycle type 7) and polypropylene (recycle type 5).  
Other components may be recycled where facilities exist.

**Operating Pressure (dynamic)**

1 bar minimum  
5 bar maximum

**DS-A60G** (grey)

**DS-A60A** (aquamarine)



**DS-A60Y** (yellow)

**DS-A60B** (black)



**HOW TO SPECIFY**

Please insert the following statement into your specification document and include the appropriate colour information and Product Reference as shown on the left. Supporting files, for example, drawings can be downloaded from [www.horne.co.uk](http://www.horne.co.uk)

**Dušo Shower Column**

Integrated shower assembly featuring hydraulically actuated timed-flow control, anodised aluminium column, chromium plated shower head, adjustable spray-plate and flow regulation (8 L/min). \_\_\_\_\_ (insert chosen colour) coloured actuator paddle and spray plate manufactured in robust and durable injection moulded polymers. Product Reference \_\_\_\_\_ (insert product reference) and as per drawing No. D10397.

For use with pre-blended water supply only and to be installed and commissioned according to the manufacturer's instructions.

Manufactured and supplied by Horne Engineering Ltd  
PO Box 7, Rankine Street, Johnstone, PA5 8BD  
Tel: +44 (0)1505 321455  
Fax: +44 (0)1505 336287  
email: [sales@horne.co.uk](mailto:sales@horne.co.uk).

Horne reserve the right to alter any product, design or specification without notice.



HORNE ENGINEERING Ltd, PO Box 7, Rankine Street, Johnstone, United Kingdom PA5 8BD  
tel +44 (0)1505 321455 fax +44 (0)1505 336287  
email [sales@horne.co.uk](mailto:sales@horne.co.uk) web [www.horne.co.uk](http://www.horne.co.uk)